

QUIET ALTERNATIVE

Seiya NEW



Highlights

BASIC Line compact inverter
A++ in cooling & heating mode
Infrared remote control included – WiFi ready



The BASIC Line model SEIYA already offers all the efficiency advantages of inverter technology combined with a rotary compressor. Set consists of an outdoor and indoor unit, using refrigerant R32.



Attractive & economical

- Excellent energy efficiency (A++)
- DC hybrid inverter technology
- Rotary compressor in sizes 07 to 18
- Twin-rotary compressor in size 24
- Exceptionally high efficiency in part load range
- Automatic restart after power blackout
- Cooling-only & heating-only settings
- Defrosting on demand



Resource-friendly & quiet

- Minimal electricity consumption due to inverter control
- ECO mode
- Low GWP refrigerant R32
- Air used as energy source in heating operation
- Compact outdoor and indoor units
- SILENT whisper mode



Easy operation (set)

- Infrared remote control included
- WiFi ready
- Optional app control via smartphone or tablet
- 24 hour ON/OFF timer
- Automatic mode
- PRESET Memory function
- Hi Power
- QUIET function for indoor unit
- SILENT function for outdoor unit, 2-stage
- Louver swing & fix
- 8°C frost protection function



WiFi special features (set)

- All indoor units & groups on/off control
- All indoor units & groups weekly timer
- All indoor units & groups setting
- Indoor temperature display
- Outdoor temperature display
- Power select
- Child lock
- ECO mode
- Fireplace mode
- Hi Power mode
- Energy Monitoring



Seiya NEW / SET

Indoor unit			RAS-24E2KVG-E
Outdoor unit			RAS-24E2AVG-E
Cooling capacity	kW	❄️	6,50
Cooling range (min.-max.)	kW	❄️	1,70 - 7,20
Power consumption (min./nom./max.)	kW	❄️	0,41/2,25/2,60
Pdesign c	kW		6,50
Energy efficiency EER	W/W	❄️	2,89
Energy efficiency SEER		❄️	6,90
Energy efficiency class		❄️	A++
Annual electricity consumption	kWh/a	❄️	330
Outdoor temperature operating range (min.-max.)	°C	❄️	-15/+46
Heating capacity	kW	🔥	7,00
Heating range (min.-max.)	kW	🔥	1,50 - 8,10
Power consumption (min./nom./max.)	kW	🔥	0,29/2,10/2,55
Pdesign h	kW		5,40
Energy efficiency COP	W/W	🔥	3,33
Energy efficiency SCOP		🔥	4,30
Energy efficiency class		🔥	A+
Annual electricity consumption	kWh/a	🔥	1757
Outdoor temperature operating range (min.-max.)	°C	🔥	-15/+24

Indoor unit			RAS-24E2KVG-E
Sound pressure level (low/med/high)	dB(A)	❄️	29/--/48
Sound pressure level (low/med/high)	dB(A)	🔥	29/--/48
Sound power level	dB(A)	❄️	61
Sound power level	dB(A)	🔥	61
Airflow	m³/h		1070
Condensate pipe diameter	mm		VP13
Dimensions (HxWxD)	mm		320 x 1050 x 250
Weight	kg		15

❄️ Cooling 🔥 Heating



Seiya NEW / SET

Outdoor unit			RAS-24E2AVG-E
Power supply	V/Ph+N/Hz		220-240/1+N/50
Recommended fusing	A		13/16
Recommended power supply line type			H07RN-F 3G1,5
Communication line			H07RN-F 4G1,5
Current consumption (nom.)	A		8,81
Current consumption (max.)	A		12,00
Sound pressure level (low/med/high)	dB(A)	❄️	49/-/54
Sound pressure level (low/med/high)	dB(A)	🔥	49/-/54
Sound power level	dB(A)	❄️	67
Sound power level	dB(A)	🔥	67
Suction gas pipe diameter	mm (inch)		12,7 (1/2)
Liquid pipe diameter	mm (inch)		6,3 (1/4)
Pipe length (min.)	m		2
Pipe length (max.)	m		20
Height difference (max.)	m		12
Airflow	m³/h		2220
Compressor type			DC Twin Rotary
Refrigerant			R32
Refrigerant charge	kg		1,18
Pre-charged up to	m		15
Added refrigerant charge	g/m		20
Dimensions (HxWxD)	mm		550 x 780 x 290
Weight	kg		38

❄️ Cooling 🔥 Heating

The measuring conditions for this product can be found at <https://www.toshiba-aircondition.com/en/measuring-conditions.html>



In order to make it easier for you to select the optimal product, you can find the description of the special TOSHIBA product functions for your model here:



Energy Label A++: Energy efficiency class A++ guarantees a very low power consumption.



Hybrid inverter control: Smooth capacity regulation.



Twin rotary compressor: Long-lasting, smoothly running and highest efficiency.



R32: Used refrigerant: R32.



Auto diagnostic: Check of system for flawless operation.



Automatic Restart: After a power blackout.

