TOSHIBA

INVISIBLE CLASSIC

Standard duct unit SMMSu





Highlights

Very quiet Optimal air distribution possible External fresh air supply possible

Standard duct unit for combination with VRF outdoor units of the MiNi-SMMS-e, SMMS-e, SMMS-u, and SHRM-e model series. Air can be supplied into the room discretely with the lowest speed via one or more air outlets. Available in twelve capacity levels from 1.7 to 16.0 kW.



Performance

- High energy efficiency
- Can be integrated unseen into false ceilings
- Self-cleaning function
- Low-noise, 3-step fan
- External, static pressure can be set up to 120 Pa
- Auto diagnostic system



Flexibility

- _ A flanged collar connection is available for the exhaust
- _ Air intake possible from below or behind
- Washable, long-life dust filter
- $_{\rm -}\,$ Optional WiFi control via smartphone, tablet, or PC

Technical details

- Low unit overall height of only 275 mm
- External fresh air supply possible up to 15% of the nominal airflow
- Integrated drain pump with a discharge head up to 85 cm
- External receiver kit for infrared remote control possible
- Can be combined with all cable remote controls
- Automatic restart after power blackout adjustable



TOSHIBA

Standard duct unit SMMSu

Technical data			MMD-UP0051BHP-E
Cooling capacity	kW	*	1,70
Power consumption (min./nom./max.)	kW	*	0,055
Heating capacity	kW	*	1,90
Power consumption (min./nom./max.)	kW	*	0,055
Airflow	m³/h		360/450/540
External static pressure	Pa		30/40/50/65/80/ 100/120
Sound pressure level (low/med/high)	dB(A)	*	29/26/23
Sound pressure level (low/med/high)	dB(A)	*	29/26/23
Liquid pipe diameter	mm (inch)		6,4 (1/4)
Suction gas pipe diameter	mm (inch)		9,5 (3/8)
Condensate pipe diameter	mm		VP25 (25/32)
Power supply	V/Ph+N/Hz		220-240/1+N/50
Running current	А	*	0,35
Running current	А	*	0,35
Current consumption (nom.)	А		0,35
Refrigerant			R410A
Dimensions (HxWxD)	mm		275 x 700 x 750
Weight	kg		23

* Cooling Heating

 $The measuring conditions for this product can be found at \ https://www.toshiba-aircondition.com/en/measuring-conditions.html \ and \ https://www.toshiba-aircondition.com/en/measuring-conditions.html \ https://www.toshiba-aircondition.com/en/measuring-conditions.html \ https://www.toshiba-airconditions.html \ html \ https://www.toshiba-airconditions.html \ html \$

