TOSHIBA



QUIET ALTERNATIVE

YUKAI

Highlights

BASIC Line compact inverter
A++ in cooling & heating mode
Dust filter and Ultra-Fresh filter
Infrared remote control included
WiFi interface included



Compact highwall unit from the BASIC line SEIYA with standard air filter. For use with 1:1 single outdoor unit or in combination with other indoor units on a 2- to 5-room multi outdoor unit.

Product Advantages

- Excellent energy efficiency (A+ to A++)
- Colored, dimmable LED displays
- Wired connection option for IR remote control
- Low GWP refrigerant R32
- Air used as energy source in heating operation
- Compact outdoor and indoor units
- Whisper mode

Clean ambient air

- Washable dust filter that covers the entire heat exchanger
- Ultra Fresh filter strips: neutralize up to 99.9% of bacteria and viruses; deodorizing effect against odors; 85% effective against PM2.5 fine dust particles
- Dustless coil coating of the heat exchanger fins
- Self-cleaning function dries the heat exchanger after operation
- Optional active carbon-catechin filter strips
- Optional IAQ filter strips
- Optional Ultra Pure 2.5 filter strips

Easy operation

- Infrared remote control included
- WiFi in-the-box
- Optional APP control via smartphone or tablet
- 24 hour ON/OFF timer
- Automatic mode
- PRESET memory function
- Hi Power
- QUIET function for indoor unit
- SILENT function for outdoor unit, 2-stage
- Louver swing & fix
- 8°C frost protection function
- Automatic restart after power blackout

WiFi special features

- All indoor units & groups on/off control
- All indoor units & groups weekly timer
- All indoor units & groups setting
- Indoor temperature display
- Outdoor temperature display
- Power select
- Child lock
- ECO operating mode
- Fireplace operating mode
- Hi Power operating mode
- Energy Monitoring

HIGHER quality in LIFE

TOSHIBA

YUKAI / SET

Indoor unit	RAS-B16S4KVG-E
Outdoor unit	RAS-16E2AVG-E

Indoor unit			RAS-B16S4KVG-E
Sound pressure level (low/med/high)	dB(A)	❄	21/--/43
Sound pressure level (low/med/high)	dB(A)	☀	22/--/43
Sound power level	dB(A)	❄	56
Sound power level	dB(A)	☀	56
Airflow	m^3/h		760
Condensate pipe diameter	mm		VP13
Dimensions (HxWxD)	mm		293 x 798 x 230
Weight	kg		9

❄ Cooling ☀ Heating

HIGHER quality in LIFE

TOSHIBA

YUKAI / SET

Outdoor unit			RAS-16E2AVG-E
Power supply	V/Ph+N/Hz		220-240/1/50
Recommended fusing	A		10
Recommended power supply line type			H07RN-F 3G1,5
Communication line			H07RN-F 4G1,5
Current consumption (max.)	A		9,00
Suction gas pipe diameter	mm (inch)		12,7 (1/2)
Refrigerant			R32
Added refrigerant charge	g/m		20

Cooling Heating

The measuring conditions for this product can be found at https://www.toshiba-aircondition.com/en/measuring-conditions.html

Accessories	Description
Fernbedienung	Infrared remote control included
RB-RXS33-E	Infrared remote control including weekly timer and 8°C frost protection function
RB-RXS34-E	Design infrared remote control, black, with magnetic holder
RB-N105S-G	TOSHIBA Home AC control - wireless WiFi control / Seiya Classic 2, Seiya

HIGHER quality in LIFE

TOSHIBA

TOSHIBA Features - YUKAI

In order to make it easier for you to select the optimal product, you can find the description of the special TOSHIBA product functions for your model here:



Energy Label A++: Energy efficiency class A++ guarantees a very low power consumption.



R32: Used refrigerant: R32.



Dust filter: Washable filter against coarse contamination.



Auto Mode: Automatic selection between cooling and heating.



Auto diagnostic: Check of system for flawless operation.



Quiet Mode: Whisper mode for the indoor unit.



Preset Mode: Activates individual settings at the touch of a button.



Automatic Restart: After a power blackout.



Hybrid inverter control: Smooth capacity regulation.



Wifi ready: WiFi adapter optional.



Self-cleaning function: Usage of condensate water for cleaning.



HI POWER: Particularly strong airflow for quickly reaching the requested temperature.



Eco Mode: Energy saving function.



Comfort Sleep: Gradual increase of temperature by 2 °C until morning.



Timer: Individual programming of on-/off times.



8°C Antifreeze Protection: Protects unoccupied rooms.

HIGHER quality in LIFE